

Information Data Sheet

Detector Tube **H₂S-100**
Part No. (US): **487340**
Part No. **D5085827**

1. Application

Detection of hydrogen sulfide (H₂S) in air or in technical gases.

2. Detector Tube Sampling Pump

KWIK DRAW (formerly MSA AUER) Gas-Tester® IIH, Gas-Tester® I / ThumbPump™-Sampler, Toximeter® II, Uniphos Kwik-Draw™-Pump or other suitable detector tubes pumps. Observe respective instructions for use.

3. Measuring Range

100 ppm ... 4000 ppm hydrogen sulfide at n=1 (1 stroke)


Any number of strokes from 1 to 10 can be chosen. For calculation use n=10 scale, relate as follows:

$$\text{ppm H}_2\text{S} = \frac{\text{indication on n=1 scale}}{\text{no. of strokes chosen}}$$

4. Chemical Reaction and Color Change

Reaction of hydrogen sulfide with lead compound forming lead sulfide.

Color change: White → Brown



5. Ambient Conditions During Sampling

Detector tubes can be used without compensation of the reading between 0 °C and 50 °C (32 °F and 120 °F) and between 10 % rh (0.5 g/m³ at 0 °C [32 °F]) and 90 % rh (75 g/m³ at 50 °C [120 °F]).

6. Interferences and Cross Sensitivities

- No interference from:
 - hydrogen, methane, ethane, propane, butanes, carbon monoxide, carbon dioxide.
 - higher saturated hydrocarbons (e. g. hexanes, octanes), olefinic hydrocarbons (e. g. ethylene) aromatic hydrocarbons (e. g. benzene) up to 1 vol.% (n=10).
 - sulfur dioxide, carbon disulphide up to 1000 ppm (n=10).
- Phosphine, arsine will be indicated. The sensitivity of indication is different.
- Acetylene is not indicated. Hydrogen sulfide in acetylene will be indicated with a stain double as long as in air.

Manufactured By:
Uniphos Envirotronic Pvt. Ltd (100% EOU)
P.O. Nahuli - 396 108
Tal. Umbergaon,
Dist: Valsad, Gujarat, India
Tel. : +91(260) 2730156 / 57 / 58
Fax : +91(260) 2730160
gasdetection@uniphos-envirotronic.com

Marketing Office:
Uniphos Envirotronic Pvt. Ltd
Readymoney Terrace, 167,
Dr. Annie Besant Road, Worli,
Mumbai 400 018, India.
Tel. : +91(22) 6123 3500
Fax : +91(22) 2493 8826/+91 (22) 2497 8119
www.kwikdrawtubes.com